


Parts Manual For

YAZOO

ZERO TURN RADIUS MOWER

**MODEL YTK20 & YTK22 TRACTOR WITH
MODEL TYZCS48 & TYZCS60 DECK**



YAZOO

Yazoo Manufacturing Company P.O. Box 4449 Jackson, Mississippi 39296-4449
(601) 366-6421 FAX (601) 981-5008

(10/95)
OP-11042


TABLE OF CONTENTS

| TRACTOR: | PAGE NO. |
|--|----------|
| FRAME SIDES AND RELATED PARTS | 1 |
| CASTER WHEEL ASSEMBLY | 2 |
| SEAT SUPPORT ASSEMBLY & BODY COVER PARTS | 3,4 |
| SEAT AND RELATED PARTS | 5 |
| PARKING BRAKE ASSEMBLY | 6 |
| MOTOR MOUNT ASSEMBLY | 7,8 |
| HYDROSTAT ASSEMBLY | 9 |
| HYDROSTAT/GEARBOX ASSEMBLY | 10 |
| DUAL-LEVER STEERING CONTROL (SER. #5S901344 & ABOVE) | 11 |
| RIGHT HAND STEERING CONTROL (SER. #5S901343 & BELOW) | 12 |
| LEFT HAND STEERING CONTROL (SER. #5S901343 & BELOW) | 13 |
| 20 & 22 HP MOTOR ASSEMBLY | 14 |
| ELECTRICAL SYSTEM | 15 |
| DECK: | |
| DECK LIFT PARTS | 16 |
| 48" DECK ASSEMBLY | 17 |
| 60" DECK ASSEMBLY | 18 |
| DECK SPINDLE ASSEMBLY | 19 |

SINGLE IDLER ASSEMBLY


DOUBLE IDLER ASSEMBLY

FRAME SIDES AND RELATED PARTS




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-----------------------------|------------|-----|-----|-----------------------------|-------------|-----|
| 1 | REAR BUMPER WELDMENT | 0620-024W | 1 | 16 | BOLT, 5/16-18 X 3/4" | 0F-1546 | 4 |
| 2 | NUT, 3/8-16 NYLOC | 0F-1239 | 4 | 17 | FOOT DECK (INCL'S. #18-#24) | 0625-074A | 1 |
| 3 | BOLT, 3/8-16 X 1-1/4" GR. 5 | 0F-1307 | 4 | 18 | TREAD PAD, 3-1/2' X 6' | 0H-1932 | 1 |
| 4 | GREASE CAP | 0620-206P | 1 | 19 | TREAD PAD, 2' X 18' | 0H-1931 | 5 |
| 5 | NUT, HEX. SLOTTED 1-14 | 0F-1724 | 1 | 20 | DECAL, DECK HEIGHT | 0P-10077-01 | 1 |
| 6 | WASHER, 1" 10 GA. | 0606-303P | 1 | 21 | COVER PLATE | 0625-069P | 1 |
| 7 | BEARING CONE | 0D-2013-01 | 2 | 22 | FLAT WASHER, 1/4" | 0F-1009-01 | 2 |
| 8 | FRAME SIDE, L.H. | 0625-020W | 1 | 23 | LOCKWASHER, 1/4" | 0F-1019-01 | 2 |
| 9 | FRONT CHANNEL WELDMENT | 0620-063W | 1 | 24 | CAPSCREW, 1/4-20 X 3/4 | 0F-1015-03 | 2 |
| 10 | BOLT, 1/2-13 X 1-1/4" GR. 5 | 0F-1386 | 10 | 25 | COTTER PIN, 3/16 X 2" | 0F-1728 | 1 |
| 11 | FRONT BUMPER/AXLE WLDT. | 0620-033W | 1 | 26 | FRAME SIDE WELDMENT, R.H. | 0625-021W | 1 |
| 12 | BEARING SPACER | 0620-067P | 1 | 27 | NUT, 1/2-13 STOVER | 0F-1005-05 | 10 |
| 13 | SEAL, OIL 1.688 SHAFT | 0D-7001-10 | 1 | 28 | MOTOR MOUNT WELDMENT | 0625-044W | 1 |
| 14 | WASHER, FLAT STD. 5/16" | 0F-1009-02 | 4 | 29 | BEARING CUP | 0D-2014-01 | 2 |
| 15 | LOCKWASHER, 5/16" | 0F-1019-02 | 4 | 30 | DECAL, TOW WARNING | 0P-10945 | 1 |

CASTER WHEEL ASSEMBLY



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|----------------------------------|------------|-----|-----|-----------------------------|------------|-----|
| 1 | SHIELD, BEARING | OH-1986 | 4 | 8 | ROLL PIN, 3/16 X 2' HD | OF-1456 | 2 |
| 2 | BEARING, 5/8" I.D. X 1-3/8" O.D. | OD-3432 | 4 | 9 | CAP, BEARING | 0609-099P | 2 |
| 3 | SPACER, BEARING | 0625-053P | 2 | 10 | FLATWASHER, 1/4" STD. | OF-1009-01 | 2 |
| 4 | BOLT, 1/2-13 X 8" | OF-1129 | 2 | 11 | BOLT, 1/4-20 X 3/4" W/PATCH | OF-1810 | 2 |
| 5 | CASTER WELDMENT | 0620-040W | 2 | 12 | LOCKWASHER, 1/4" | OF-1019-01 | 2 |
| 6 | NUT, 1/2-13, STOVER | OF-1005-05 | 2 | 13 | BEARING, WD/COLLAR | OD-2008-02 | 4 |
| 7 | TIRE, 13X5.00-6, ON RIM | OD-3600 | 2 | 14 | DECAL, "TIRE PRESSURE..." | OP-10877 | 2 |


SEAT SUPPORT ASSEMBLY & BODY COVER PARTS




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|----------------------------|-------------|-----|-----|-------------------------------|------------|-----|
| 1 | SEAT SUPPORT WLDT. | 0625-015W | 1 | 32 | SEAT SUPPORT WLDT. | 0620-217W | 1 |
| 2 | DECAL, YAZOO LONG | OP-10921 | 1 | 33 | BLIND HOLE KURLY | OH-1933 | 4 |
| 3 | DECAL, 'MADE IN U.S.A.' | OP-10925 | 1 | 34 | BUSHING, PLASTIC | OE-5051 | 1 |
| 4 | FENDER SKIRT, LH | 0625-012P | 1 | 35 | SEAT SPRING | OH-1920 | 1 |
| 5 | DECAL, YAZOO SHORT | OP-10924 | 1 | 36 | WASHER | 0620-050P | 1 |
| 6 | WASHER, FLAT STD, 5/16" | OF-1009-02 | 22 | 37 | LOCKWASHER, 1/4" | OF-1019-01 | 1 |
| 7 | LOCKWASHER, 5/16" HVY. | OF-1019-02 | 20 | 38 | BOLT, 1/4-20 X 3/4" GR. 5 | OF-1538 | 5 |
| 8 | BOLT, 5/16-18 X 3/4" GR. 5 | OF-1546 | 26 | 39 | LOCKNUT, 1/4-20 NYLOC | OF-1005-01 | 4 |
| 9 | LOCKNUT, #8-32 NYLOC | OF-1409 | 6 | 40 | ELBOW, 90° 1/4 NPTX1/4 BARB | OH-1646 | 1 |
| 10 | FUEL GAUGE CAP | OH-1922 | 1 | 41 | CLAMP, .31 MIN.X.87 MAX. HOSE | OH-1952 | 1 |
| 11 | FENDER CAP LH | 0625-004P | 1 | 42 | FUEL TANK | OH-1919 | 1 |
| 12 | DECAL, CAUTION | OP-10960-01 | 1 | 43 | FLATWASHER, 1/4" STD. | OF-1009-01 | 1 |
| 13 | DECAL, TOWING WARNING | OP-10945 | 1 | 44 | SOLENOID, 12V STARTER | OE-5820 | 1 |
| 14 | DECAL, PTO/CHOKE | OP-10923 | 1 | 45 | EDGE GUARD | 0620-141P | 1 |
| 15 | TRIM, U-CHANNEL GAS TANK | 0620-168P | 1 | 46 | SWITCH, HINGED LEVER | OE-5822 | 1 |
| 16 | FENDER CAP, RH | 0625-003P | 1 | 47 | FITTING, 1/2" ROSE BUD CLIP | OH-1832 | 1 |
| 17 | DECAL, CONTROL PANEL | OP-10922 | 1 | 48 | TANK, 1.5 QT. CHARGE PUMP | OH-2027 | 1 |
| 18 | DECAL, CAUTION | OP-10960-02 | 1 | 49 | CAP, OIL TANK | 0620-176P | 1 |
| 19 | DECAL, BELT TENSIONING | OP-10688 | 1 | 50 | NUT, 5/16-18 NYLOC | OF-1005-02 | 8 |
| 20 | WASHER, #8 FLAT | OF-1144 | 8 | 51 | FENDER SKIRT, RH | 0625-011P | 1 |
| 21 | SCREW, MACH. #8-32 X 1/2" | OF-1751 | 4 | 52 | DECAL, YAZOO SHORT | OP-10924 | 1 |
| 22 | D-WASHER | 0613-073P | 1 | 53 | DECAL, TRANSMISSION OIL | OP-11052 | 1 |
| 23 | SCREW, MACH. #6-32 X 5/8" | OF-1054 | 2 | 54 | DECAL, 'PULL TO RELEASE...' | OP-10910 | 1 |
| 24 | SCREW, MACH. #6-32 X 1" | OF-1423 | 4 | 55 | SPRING, COMPRESSION | OH-2077 | 2 |
| 25 | SCREW, MACH. #8-32 X 3/4" | OF-1752 | 2 | 56 | LATCH PLATE | 0620-262P | 1 |
| 26 | LOCKNUT, #6-32 NYLOC | OF-1535 | 6 | 57 | BOLT, 5/16-18 X 1-3/4" | OF-1015-18 | 2 |
| 27 | BATTERY, 12 VOLT | OE-5812 | 1 | 58 | NUT, 5/16-24 UNF | OF-1567 | 2 |
| 28 | BATTERY CLAMP ANGLE | 0620-054P | 1 | 59 | GROMMET, RUBBER LAVELLE #917 | OH-1390 | 1 |
| 29 | BOLT, 3/8-16 X 3/4" GR. 5 | OF-1015-23 | 6 | 60 | 6 PT. TERMINAL STRIP | OE-5547 | 1 |
| 30 | LOCKWASHER, 3/8" HVY. | OF-1019-03 | 6 | 61 | GROMMET, 1.25" | OH-2097 | 1 |
| 31 | FLATWASHER, STD. 3/8" | OF-1009-03 | 6 | 62 | FENDER SKIRT BRKT. LH | 0625-057P | 1 |
| | | | | 63 | FENDER SKIRT/SOL. BRKT. RH | 0625-056P | 1 |

NOTE: ITEM #60 AND ASSOCIATED PARTS WERE USED ON SERIAL NUMBERS 55901343 AND BELOW.

SEAT SUPPORT ASSEMBLY & BODY COVER PARTS




SEAT & RELATED PARTS




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|----------------------|------------|-----|-----|-------------------------|------------|-----|
| 1 | SEAT 'YAZOO' | 0H-2082 | 1 | 8 | FLATWASHER, 5/16" STD. | 0F-1009-02 | 5 |
| 2 | SEAT BRACKET | 0623-015W | 1 | 9 | CAPSCREW, 3/8-16 X 1" | 0F-1394 | 1 |
| 3 | LATCH PIN | 0620-261P | 1 | 10 | FLATWASHER, 3/8" STD. | 0F-1009-03 | 2 |
| 4 | SEAT CABLE | 0610-176A | 1 | 11 | CAPSCREW, 1/4-20 X 3/4" | 0F-1538 | 4 |
| 5 | HINGE LH | 0617-304P | 1 | 12 | LOCKWASHER, 1/4" | 0F-1019-01 | 4 |
| 6 | HINGE RH | 0617-303P | 1 | 13 | FLATWASHER, 1/2" STD. | 0F-1009-05 | 1 |
| 7 | LOCKNUT, 5/16" NYLOC | 0F-1005-02 | 4 | 14 | LOCKNUT, 1/2" NYLOC | 0F-1378 | 1 |
| | | | | 15 | DECAL, 'YAZOO' | 0P-10959 | 1 |

PARKING BRAKE ASSEMBLY




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-----------------------------|------------|-----|-----|---------------------------------------|------------|-----|
| 1 | BRAKE HANDLE | 0620-048P | 1 | 13 | BRAKE ROD | 0620-058P | 1 |
| 2 | GRIP, HANDLE | 0H-1926 | 1 | 14 | BOLT, 5/16-18 X 3/4" | 0F-1546 | 4 |
| 3 | FLATWASHER, 5/16" STD. | 0F-1009-02 | 4 | 15 | CABLE ASSEMBLY, BRAKE | 0H-2075 | 2 |
| 4 | BOLT, 1/4-20 X 1" | 0F-1015-05 | 1 | 16 | BRAKE LEVER MOUNT | 0620-207P | 1 |
| 5 | ROLL PIN, 3/16 X 7/8" LG. | 0F-1553 | 1 | 17 | BOLT, 1/4-20 X 3" | 0F-1765 | 1 |
| 6 | COTTER, RUE RING 5/16-3/8 | 0F-1492 | 2 | 18 | NUT, 5/16-18 STOVER | 0F-1125 | 6 |
| 7 | HANDLE LINK | 0620-218P | 2 | 19 | SPRING, EXT, 7/16" X 2-1/2" | 0H-2040 | 2 |
| 8 | BRAKE ARM | 0620-084P | 2 | 20 | LOCKWASHER, 5/16" | 0F-1019-02 | 2 |
| 9 | ROLL PIN, 3/16 X 1" LG. | 0F-1503 | 2 | 21 | NUT, 5/16-18 PLAIN | 0F-1011-02 | 2 |
| 10 | NUT, 1/4-20 NYLOC | 0F-1005-01 | 4 | 22 | BRAKE STOP PLATE ASS'Y. | 0620-265A | 2 |
| 11 | FLATWASHER, 1/4" STD. | 0F-1009-01 | 3 | 23 | BOLT, 1/4-20 X 1-1/2" COMES W/GEARBOX | | 2 |
| 12 | CLEVIS PIN, 5/16 X 7/8" LG. | 0F-1443 | 2 | 24 | BRAKE PUCK, REPLACEMENT | 0H-1960 | 4 |
| | | | | 25 | BRAKE YOKE ASSEMBLY | 0620-276P | 2 |

MOTOR MOUNT ASSEMBLY



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-------------------------------|------------|-----|-----|----------------------------|------------|-----|
| 1 | MOTOR MOUNT WELDMENT | 0625-044W | 1 | 16 | IDLER PULLEY ASSEMBLY | 0620-257A | 1 |
| 2 | DECAL, FAN SHIELD | 0P-10622 | 2 | 17 | BEARING, WIDE INNER-RACE | 0D-3591 | 1 |
| 3 | BOLT, 1/4-20 X 3/4" | 0F-1015-03 | 6 | 18 | SNAP RING, INT. 40MM BORE | 0D-3483 | 1 |
| 4 | CLUTCH STOP PLATE | 0620-240P | 1 | 19 | LOCKNUT, 1/2-13 NYLOC | 0F-1378 | 1 |
| 5 | FAN SHIELD | 0620-136P | 2 | 20 | DRIVE STUD, 1/4 X 1/2" LG. | 0F-1733 | 4 |
| 6 | FLATWASHER, 1/4" STD. | 0F-1009-01 | 8 | 21 | BLIND HOLE KURLY-LOC | 0F-1933 | 2 |
| 7 | BOLT, 1/4-20 X 1" | 0F-1015-05 | 2 | 22 | NUT, 5/16-18 PLAIN | 0F-1011-02 | 4 |
| 8 | NUT, 1/4-20 NYLOC | 0F-1005-01 | 6 | 23 | BOLT, 5/16-18 X 1-1/2" | 0F-1795 | 4 |
| 9 | BELT, A-80 KEVLAR | 0D-3590 | 1 | 24 | FLATWASHER, 1/2" NARROW | 0F-1521 | 1 |
| 10 | LOCKWASHER, 5/16" | 0F-1019-02 | 5 | 25 | REAR SHIELD | 0625-054P | 1 |
| 11 | STUD, ADJUSTABLE | 0612-212P | 1 | 26 | SCREW, 1/4-28 SELF TAP | 0F-1764 | 2 |
| 12 | FLATWASHER, 1/2" STD. | 0F-1009-05 | 3 | 27 | LOCKWASHER, 1/4" | 0F-1019-01 | 4 |
| 13 | FLATWASHER, 5/16" STD. | 0F-1009-02 | 1 | 28 | FLATWASHER, 1/4" STD. | 0F-1009-01 | 2 |
| 14 | FREEWHEEL BAR RH | 0620-082P | 1 | 29 | FREEWHEEL BAR LH | 0621-031P | 1 |
| 15 | BOLT, 5/16-18 X 3" FULL THRD. | 0F-1075 | 1 | 30 | WASHER, BEARING CAP | 0620-201P | 1 |


HYDROSTAT ASSEMBLY



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-------------------------------|------------|-----|-----|------------------------|------------|-----|
| 1 | HYDROSTAT TRANSMISSION, LH | OD-3609 | 1 | 20 | BOLT, 1/4-20 X 3/4" | OF-1015-03 | 2 |
| 2 | HYDROSTAT TRANSMISSION, RH | OD-3608 | 1 | 21 | BOLT, 1/4-20 X 5/8" | OF-1015-02 | 2 |
| 3 | BEARING, BALL | OD-3533 | 2 | 22 | BOLT, 6MM X 16MM | OF-1737 | 2 |
| 4 | SNAP RING, EXT. | OF-1741 | 2 | 23 | LOCKWASHER, 6MM | OF-1738 | 2 |
| 5 | GEAR, 11 TOOTH | OD-3534 | 2 | 24 | WASHER | 0620-187P | 2 |
| 6 | SPACER, BEARING | OH-1943 | 2 | 25 | SNAP RING, INT. 15MM | OF-1734 | 2 |
| 7 | ROLL PIN, 5MM X 26MM | OF-1725 | 2 | 26 | O-RING SEAL | OD-3604 | 2 |
| 8 | SHIFT ARM | 0625-026P | 2 | 27 | ADAPTER, 7/16" TO 1/4" | 0620-195P | 2 |
| 9 | ADAPTER, 7/8-14M TO 1/4-18F | OH-1950 | 2 | 28 | OIL FILTER | OH-2026 | 1 |
| 10 | HOSE BARB, 90° ELBOW, 1/4"NPT | OH-1859 | 3 | 29 | FILTER BASE | OH-2061 | 1 |
| 11 | HOSE CLAMP | OH-1929 | 6 | 30 | TANK, 1.5 QT. | OH-2027 | 1 |
| 12 | PULLEY/FAN ASSEMBLY | 0620-188A | 2 | 31 | CAP, OIL TANK | OH-1981 | 1 |
| 13 | FAN, 7", 10 BLADE CCW | OH-1916 | 1 | 32 | HOSE, 6-3/4" | 0620-202P | 1 |
| 14 | BOLT, 1/4-20 X 1/2" | OF-1747 | 3 | 33 | HOSE, 46", LH | 0620-199P | 1 |
| 15 | WASHER, 3" O.D. | 0620-070P | 1 | 34 | HOSE, 24", RH | 0620-197P | 1 |
| 16 | SEATSCREW, 1/4-20 X 3/4" | OF-1515 | 2 | 35 | HOSE, 18" | 0620-198P | 2 |
| 17 | LOCKWASHER, 1/4" | OF-1019-01 | 3 | 36 | TEE FITTING, 3/8 NPT | OH-2024 | 1 |
| 18 | KEY, 5MM SQ. X 25MM | OF-1019-01 | 8 | 37 | NUT, 1/4-20 NYLOC | OF-1005-01 | 1 |
| 19 | BALL JOINT, FEMALE 1/4-28 | OH-1885 | 2 | | BOLT, 1/4-20 X 1" | OF-1015-05 | 1 |

HYDROSTAT/GEARBOX ASSEMBLY

IF GEAR BOX HAS
CHAMFERED HOLES USE
#18 IN THIS MOUNTING
CONFIGURATION.




ITEMS #14 & 15 ARE USED ON
THE BOTTOM MOUNTING HOLES
ONLY ON GEARBOXES THAT DO
NOT HAVE CHAMFERED HOLES.

| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|----------------------------|------------|-----|-----|---------------------------|------------|-----|
| 1 | HYDROSTAT TRANS. ASS'Y. LH | SEE PG. 9 | 1 | 9 | NUT, 5/16-18 PLAIN | OF-1011-02 | 4 |
| — | HYDROSTAT TRANS. ASS'Y. RH | SEE PG. 9 | 1 | 10 | BUSHING | OH-1944 | 4 |
| 2 | FLATWASHER, 5/16" STD. | OF-1009-02 | 12 | 11 | BOLT, 3/8-16 X 4" | OF-1634 | 8 |
| 3 | BOLT, 5/16-18 X 1-3/4" | OF-1015-18 | 4 | 12 | NUT, 3/8-16 NYLOC | OF-1239 | 8 |
| 4 | BOLT, 5/16-18 X 7-1/2" | OF-1727 | 4 | 13 | LUG BOLT | OF-1774 | 8 |
| 5 | LOCKWASHER, 5/16" | OF-1019-02 | 2 | 14 | HYDROGEAR GASKET | OH-2064 | 4 |
| 6 | GEAR BOX, LH | OD-3519-02 | 1 | 15 | BOLT SEALING WASHER | OH-2065 | 8 |
| — | GEAR BOX, RH | OD-3519-01 | 1 | 16 | BOLT, 5/16-18 X 3/4" | OF-1546 | 2 |
| 7 | NUT, LUG 60°, 1/2-20 | OF-1499 | 8 | 17 | DECAL, "TIRE PRESSURE..." | OP-10877 | 2 |
| 8 | TIRE, 20-10.00 X 10 | OD-3601 | 2 | 18 | O-RING, GEARBOX | OD-3614 | 8 |

DUALEVER STEERING CONTROL

SERIAL NUMBER 55901344 & ABOVE


NOTE: SERIAL NUMBER BREAK
DOES NOT APPLY TO LINKAGE.
(SEE PAGES 12 & 13)



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|------------------------------|------------|-----|-----|---------------------------|------------|-----|
| 1 | BASE, DUALEVER | 0625-060P | 2 | 19 | LOCKWASHER, SPRING: 1/2" | OF-1464 | 4 |
| 2 | PIVOT-BLOCK, DUALEVER | 0625-061P | 2 | 20 | SETSCREW, 5/16-18 X 3/4 | OF-1842 | 6 |
| 3 | CAM LEVER, DUALEVER | 0625-062P | 2 | 21 | BUSHING, STAND-OFF | 0625-067P | 2 |
| 4 | LEVER, DUALEVER | 0625-063P | 2 | 22 | CAPSCREW, 1/2-13 X 3" | OF-1439 | 2 |
| 5 | SHLDR SCRW, 5/8" OD | 0625-070P | 2 | 23 | LOCKWASHER, SPRING: 5/16" | OF-1019-02 | - |
| 6 | CAM FOLLOWER | 0D-3368 | 2 | 24 | WASHER, FLAT: 1/4" | OF-1009-01 | - |
| 7 | WASHER, SPRING: B1250-062-S | 0H-2115 | 4 | 25 | NUT, JAM: 1/2-13 | OF-1489 | 4 |
| 8 | WASHER, FIBER: 5/8X1.25X.125 | 0H-2116 | 2 | 26 | LOCKWASHER, SPRING: 1/4" | OF-1019-01 | 2 |
| 9 | TOP PLATE, DUALEVER | 0625-065P | 2 | 27 | NUT, 1/4-28 R.H. | OF-1487 | 2 |
| 10 | SPRING, EXT | 0H-1635 | 2 | 28 | SHLDR SCREW: 3/8 X 1.25 | 0625-073P | 2 |
| 11 | MOUNT, SPRING | 0625-066P | 2 | 29 | BEARING | 0D-3622 | 4 |
| 12 | CAPSCREW, 5/16 X 1 3/4 | OF-1015-18 | 2 | 30 | BUSHING, PIVOT-BLOCK | 0625-064P | 2 |
| 13 | CAPSCREW, 1/2-13 X 3 1/2 | OF-1828 | 2 | 31 | CLAMP, NYLON HOSE | 0H-2089 | 2 |
| 14 | WASHER, FLAT | 0625-072P | 2 | 32 | BOOT | 0H-2081 | 2 |
| 15 | SWITCH, LEVER | 0E-6074 | 2 | 33 | BLACK HANDLE GRIP | 0H-1816 | 2 |
| 16 | SCREW, #4-40 X 3/4 | OF-1396 | 4 | 34 | CONTROL HANDLE | 0625-071P | 2 |
| 17 | LOCKWASHER, STAR: #4 | OF-1621 | 4 | 35 | NUT, 5/16-18 NYLOC | OF-1005-02 | 4 |
| 18 | GROMMET, #4 X 1/4" SQ | OF-1847 | 4 | 36 | BOLT, 5/16-18 X 1-1/2" | OF-1015-17 | 4 |


RIGHT HAND STEERING CONTROL

SERIAL NUMBER 55901343 & BELOW




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-----------------------------|------------|-----|-----|-----------------------------|------------|-----|
| 1 | BLACK HANDLE GRIP | 0H-1816 | 1 | 21 | SWIVEL ARM WLDT. | 0625-031V | 1 |
| 2 | CONTROL HANDLE | 0623-013P | 1 | 22 | NUT, 1/4-20 PLAIN | 0F-1011-01 | 2 |
| 3 | BOOT CLAMP | 0H-2089 | 1 | 23 | DX BUSHING, 5/8 X 3/4 X 3/4 | 0D-3573 | 2 |
| 4 | NUT, 5/16-18 NYLOC | 0F-1005-02 | 2 | 24 | NUT, 1-14 JAM | 0F-1477 | 1 |
| 5 | BOLT, 5/16-18 X 1-1/2" | 0F-1015-17 | 2 | 25 | LOCKWASHER, 1" | 0F-1478 | 1 |
| 6 | BELLOWS BOOT | 0H-2081 | 1 | 26 | SWIVEL ARM SLEEVE | 0625-028P | 1 |
| 7 | BOLT, 1/4-20 X 3/4" | 0F-1538 | 6 | 27 | SWIVEL ARM, OUTSIDE | 0625-030P | 1 |
| 8 | LOCKWASHER, 1/4" | 0F-1019-01 | 13 | 28 | ROLL PIN, 3/16 X 1" | 0F-1503 | 1 |
| 9 | TOP PLATE | 0623-012P | 1 | 29 | 2-LEVER CONTROL YOKE | 0623-005P | 1 |
| 10 | Ø9/16 STAINLESS STEEL BALL | 0H-2091 | 1 | 30 | TRUNNION PIN | 0623-011P | 1 |
| 11 | SPRING | 0H-2090 | 1 | 31 | BOLT, 1/4-20 X 3/4" BHCS | 0F-1837 | 1 |
| 12 | NEUTRAL RETURN PISTON | 0623-009P | 1 | -- | LINKAGE ROD ASS'Y., UPPER | 0625-041A | 1 |
| 13 | PIVOT SHAFT | 0623-010P | 1 | 32 | LINKAGE ROD, UPPER | 0625-025V | 1 |
| 14 | DU BEARING, 1.25 I.D. | 0D-3596 | 2 | 33 | NUT, 1/4-20 PLAIN, LH THRD. | 0F-1814 | 1 |
| 15 | LOWER CONTROL ARM | 0623-014P | 1 | 34 | BALL JOINT, 1/4-20 LH THRD. | 0H-2076 | 1 |
| 16 | SETSCREW, 3/8-16 X 3/4" | 0F-1007-35 | 1 | 35 | NUT, 1/4-20 RH THRD. | 0F-1487 | 1 |
| -- | LINKAGE ROD ASS'Y., LOWER | 0625-040A | 1 | 36 | BALL JOINT, 1/4-20 RH THRD. | 0H-1885 | 1 |
| 17 | LINKAGE ROD, LOWER | 0625-023P | 1 | 37 | BOLT, 1/4-20 X 1" | 0F-1015-01 | 1 |
| 18 | BALL JOINT, 1/4-28 RH THRD. | 0H-1885 | 2 | 38 | SWITCH, SPDT, MINIATURE | 0E-6074 | 1 |
| 19 | NUT, 1/4-28 PLAIN, RH THRD. | 0F-1487 | 2 | 39 | SCREW, #4-40 X 3/4" | 0F-1396 | 2 |
| 20 | BOLT, 1/4-20 X 1-1/4" | 0F-1539 | 2 | 40 | LOCKWASHER, #4 STAR | 0F-1621 | 2 |

LEFT HAND STEERING CONTROL




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-----------------------------|------------|-----|-----|-----------------------------|------------|-----|
| 1 | BLACK HANDLE GRIP | 0H-1816 | 1 | 21 | SWIVEL ARM W/LDT. | 0625-031V | 1 |
| 2 | CONTROL HANDLE | 0623-013P | 1 | 22 | NUT, 1/4-20 PLAIN | 0F-1011-01 | 2 |
| 3 | BOOT CLAMP | 0H-2089 | 1 | 23 | DX BUSHING, 5/8 X 3/4 X 3/4 | 0D-3573 | 2 |
| 4 | NUT, 5/16-18 NYLOC | 0F-1005-02 | 2 | 24 | NUT, 1-14 JAM | 0F-1477 | 1 |
| 5 | BOLT, 5/16-18 X 1-1/2" | 0F-1015-17 | 2 | 25 | LOCKWASHER, 1" | 0F-1478 | 1 |
| 6 | BELLOWS BOOT | 0H-2081 | 1 | 26 | SWIVEL ARM SLEEVE | 0625-028P | 1 |
| 7 | BOLT, 1/4-20 X 3/4" | 0F-1538 | 6 | 27 | SWIVEL ARM, OUTSIDE | 0625-030P | 1 |
| 8 | LOCKWASHER, 1/4" | 0F-1019-01 | 13 | 28 | ROLL PIN, 3/16 X 1" | 0F-1503 | 1 |
| 9 | TOP PLATE | 0623-012P | 1 | 29 | 2-LEVER CONTROL YOKE | 0623-005P | 1 |
| 10 | #9/16 STAINLESS STEEL BALL | 0H-2091 | 1 | 30 | TRUNNION PIN | 0623-011P | 1 |
| 11 | SPRING | 0H-2090 | 1 | 31 | BOLT, 1/4-20 X 3/4" BHCS | 0F-1837 | 1 |
| 12 | NEUTRAL RETURN PISTON | 0623-009P | 1 | -- | LINKAGE ROD ASS'Y, UPPER | 0625-041A | 1 |
| 13 | PIVOT SHAFT | 0623-010P | 1 | 32 | LINKAGE ROD, UPPER | 0625-025W | 1 |
| 14 | DU BEARING, 1.25 I.D. | 0D-3596 | 2 | 33 | NUT, 1/4-20 PLAIN, LH THRD. | 0F-1814 | 1 |
| 15 | LOWER CONTROL ARM | 0623-014P | 1 | 34 | BALL JOINT, 1/4-20 LH THRD. | 0H-2076 | 1 |
| 16 | SETScrew, 3/8-16 X 3/4" | 0F-1007-35 | 1 | 35 | NUT, 1/4-20 RH THRD. | 0F-1487 | 1 |
| -- | LINKAGE ROD ASS'Y, LOWER | 0625-040A | 1 | 36 | BALL JOINT, 1/4-20 RH THRD. | 0H-1885 | 1 |
| 17 | LINKAGE ROD, LOWER | 0625-023P | 1 | 37 | BOLT, 1/4-20 X 1" | 0F-1015-01 | 1 |
| 18 | BALL JOINT, 1/4-28 RH THRD. | 0H-1885 | 2 | 38 | SWITCH, SPDT, MINIATURE | 0E-6074 | 1 |
| 19 | NUT, 1/4-28 PLAIN, RH THRD. | 0F-1487 | 2 | 39 | SCREW, #4-40 X 3/4" | 0F-1396 | 2 |
| 20 | BOLT, 1/4-20 X 1-1/4" | 0F-1539 | 2 | 40 | LOCKWASHER, #4 STAR | 0F-1621 | 2 |

20 & 22 HP MOTOR ASSEMBLY



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|--------------------------------|------------|-----|-----|------------------------------|-------------|-----|
| 1 | 20 HP KOHLER, VERT. SHAFT ENG. | N/A | 1 | 12 | CLUTCH, ELECTRIC, 1' BORE | 0E-6046 | 1 |
| 2 | 22 HP KOHLER, VERT. SHAFT ENG. | N/A | 1 | 13 | BUSHING, CLUTCH | 0620-266P | 1 |
| 3 | THROTTLE CABLE | 0H-1940 | 1 | 14 | LOCKWASHER, 7/16" | 0F-1019-04 | 1 |
| 4 | NIPPLE, 3/8" X 1-1/2" | 0H-2085 | 1 | 15 | BOLT, 7/16-20 X 3-1/4" | 0F-1766 | 1 |
| 5 | PIPE COUPLER, 3/8" | 0H-1197 | 2 | 16 | FAN, 7" DIA. 10 BLADE CW | 0H-1977 | 1 |
| 6 | ELBOW, STREET, 3/8", 90° | 0H-1016-01 | 1 | 17 | MOTOR DRIVE PULLEY | 0620-092P | 1 |
| 7 | ELBOW, 3/8", 90° | 0H-1128 | 1 | 18 | MUFFLER GUARD | 0620-270P | 1 |
| 8 | PLUG, PIPE 3/8" | 0H-1218 | 1 | 19 | SCREW, #8 X 1/2" | 0F-1231 | 6 |
| 9 | KEY, 1/4" SQ. X 1" | 0H-1380 | 1 | 20 | DECAL, "PERIODICALLY..." | 0P-10077-11 | 1 |
| 10 | SETSCREW, 5/16-18 X 3/8" | 0234-002P | 1 | 21 | CLAMP, HOSE SPRING TYPE 1/2" | 0H-1687 | 2 |
| 11 | WASHER, SHIM | 0F-1007-22 | 1 | 22 | FUEL LINE, 19' LONG | 0606-362P | 1 |
| | | 0620-174P | 3 | 23 | WASHER, 1" SPECIAL | 0606-283P | 1 |

ELECTRICAL SYSTEM




THIS DRAWING IS NOT A WIRE DIAGRAM
PART IDENTIFICATION ONLY
(SEE OPERATOR'S MANUAL FOR WIRING SCHEMATIC)

NOTE: ITEM #16 IS USED ON SERIAL NO. 5S901344 & ABOVE.
ITEM #15 & #9 (REPLACED BY ITEM #16) WAS USED
ON SERIAL NO. 5S901343 & BELOW


| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|--------------------------|----------|-----|-----|----------------------------|-----------|-----|
| 1 | BATTERY | 0E-5812 | 1 | 10 | FUSEHOLDER (INLINE) | 0E-5881 | 2 |
| 2 | HOUR METER | 0E-5878 | 1 | -- | FUSE HOLDER (INLINE) SPADE | 0E-6206 | 2 |
| 3 | SOLENOID | 0E-5820 | 1 | -- | FUSE, 30 AMP GLASS SLO-BLO | 0E-6188 | 2 |
| 4 | START SWITCH | 0E-5873 | 1 | -- | FUSE, 30 AMP SPADE STYLE | 0E-6207 | 2 |
| 5 | SWITCH, HINGED LEVER | 0E-5822 | 2 | 11 | SWITCH, SPDT MINIATURE | 0E-6074 | 2 |
| 6 | BUZZER | 0E-5972 | 1 | 12 | CABLE, BATTERY, 31.75' W/B | 0H-1956 | 1 |
| 7 | CLUTCH SWITCH | 0E-6052 | 1 | 13 | CABLE, STARTER 31.75' WD/B | 0620-092A | 1 |
| 8 | INSULATOR COVER (FEMALE) | 0E-5879 | 1 | 14 | WIRE, 24' BLK. ENG/GRD. | 0610-125A | 1 |
| 9 | 6 PT TERMINAL STRIP | 0E-5547 | 1 | 15 | WIRE HARNESS | - | - |
| | | | | 16 | WIRE HARNESS | 0E-6231 | 1 |

DECK LIFT PARTS




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|----------------------------|------------|-----|-----|------------------------------|------------|-----|
| 1 | ROLL PIN, 5/16 X 1-1/4 HBK | OF-1188 | 4 | 16 | LOCKWASHER, 1/4" | OF-1019-01 | 2 |
| 2 | LIFT SLEEVE WLDT, RH | 0625-038P | 1 | 17 | TOP DECK HANDLE | 0625-039P | 1 |
| 3 | SPIROLOX RETAINING RING | OF-1739 | 2 | 18 | GRIP, HANDLE | OH-1929 | 1 |
| 4 | DECK HANGER WLDT. | 0625-035W | 2 | 19 | SPRING, EXT. 1.65" X 9" | OH-1868 | 1 |
| 5 | NUT, 3/8-16 NYLOC | OF-1239 | 4 | 20 | SPRING TIGHTENER WLDT. | 0620-227P | 1 |
| 6 | FLATWASHER, 3/8" STD. | OF-1009-03 | 2 | 21 | BOLT, 3/8-16 X 5" FULL THRD. | OF-1646 | 1 |
| 7 | CLEVIS PIN, 3/8 X 2" LG. | OF-1550 | 4 | 22 | SPRING EXTENSION | 0613-132P | 2 |
| 8 | FLATWASHER, 5/16" STD. | OF-1009-02 | 7 | 23 | LIFT SLEEVE WLDT, LH | 0625-037P | 1 |
| 9 | COTTER RUE RING, 5/16-3/8 | OF-1492 | 6 | 24 | BOLT, 3/8-16 X 1-1/4" GR. 5 | OF-1307 | 3 |
| 10 | DECK HANGER BAR | 0625-047P | 4 | 25 | CLEVIS PIN, 3/8 X 1" | OF-1691 | 2 |
| 11 | BAR, CONNECTING | 0625-034P | 2 | 26 | NUT, 3/8-16 PLAIN | OF-1011-02 | 1 |
| 12 | LOWER HANDLE WLDT. | 0620-097W | 1 | 27 | LIFT BAR | 0620-051P | 1 |
| 13 | SPRING, COMP. .975 O.D. | OH-1925 | 1 | 28 | HANDLE LINK | 0620-053P | 2 |
| 14 | BOLT, 3/8-16 X 3" GR. 5 | OF-1537 | 1 | 29 | FRAME SIDE WLDT. RH | 0625-021W | 1 |
| 15 | BOLT, 1/4-20 X 3/4" GR. 5 | OF-1538 | 2 | 30 | FRAME SIDE WLDT. LH | 0625-020W | 1 |

48" DECK ASSEMBLY




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-------------------------------|------------|-----|-----|-----------------------------|-------------|-----|
| 1 | DRAG BAR WELDMENT | 0620-011W | 1 | 19 | NUT, 3/8-16 NYLOC | OF-1239 | 8 |
| 2 | SPINDLE ASS'Y. (PG. 18) | 0609D-019A | 3 | 20 | FLATWASHER, 3/8" STD. | OF-1009-03 | 8 |
| 3 | PULLEY COVER | 0609-148P | 2 | 21 | CLEVIS PIN, 5/16X 1-1/4" | OF-1538 | 4 |
| 4 | ROLLER, POLYETHYLENE | 0H-1675 | 5 | 22 | BOLT, 1/4-20 X 3/4" | OF-1005-01 | 4 |
| 5 | ROLLER SPACER BUSHING | 0606-650P | 5 | 23 | LOCKWASHER, 1/4" | OF-1019-01 | 4 |
| 6 | BRACKET, REAR ANTI-SCALPER | 0609-146P | 2 | 24 | FLATWASHER, 1/4" STD. | OF-1009-01 | 4 |
| 7 | SINGLE IDLER PARTS (PG. 19) | ----- | 1 | 25 | BOLT, 3/8-16 X 7/8" | OF-1558 | 8 |
| 8 | DOUBLE IDLER PARTS (PG. 20) | ----- | 1 | 26 | DECK CROSS BELT, AP-100 | OD-3526 | 1 |
| 9 | 48" DECK WELDMENT | 0626A-003W | 1 | 27 | CLEVIS PIN, 3/8 X 2" | OF-1550 | 4 |
| 10 | BOLT, 3/8-16 X 4-1/2" | OF-1541 | 5 | 28 | BOLT, 5/16-18 X 1" | OF-1015-15 | 2 |
| 11 | OUTLET STIFFENER WLDT. | 0624-010P | 1 | 29 | BOLT, 5/16-18 X 3/4" | OF-1546 | 1 |
| 12 | CHUTE WELDMENT | 0624-011P | 1 | 30 | DECAL, MULTI-PERIL | OP-10958 | 1 |
| 13 | DECAL, MULTI-PERIL | OP-10958 | 1 | 31 | DECAL, 'WARNING...' | OP-10080-03 | 1 |
| 14 | FLATWASHER, 5/16" STD. | OF-1009-02 | 16 | 32 | DECAL, 'MISSING CHUTE...' | OP-10122 | 1 |
| 15 | NUT, 5/16-18 NYLOC | OF-1005-02 | 6 | 33 | DECAL, '48' | OP-10969 | 1 |
| 16 | BOLT, 5/16-18 X 3/4" CARRIAGE | OF-1671 | 4 | 34 | DECAL, 'GREASE SPINDLES...' | OP-10947 | 1 |
| 17 | COTTER RUE RING, 5/16-3/8 | OF-1492 | 8 | 35 | NUT, 5/16-18, STOVER | OF-1125 | 2 |
| 18 | NUT, 3/8-16 TOPLOCK | OF-1570 | 5 | -- | ENGINE TO DECK BELT, BP-81 | OD-3538 | 1 |

60" DECK ASSEMBLY




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-------------------------------|------------|-----|-----|-----------------------------|-------------|-----|
| 1 | DRAG BAR WELDMENT | 0620-011W | 1 | 21 | CLEVIS PIN, 5/16 X 1-1/4" | OF-1538 | 4 |
| 2 | SPINDLE ASS'Y. (PG. 18) | 0609-019A | 3 | 22 | BOLT, 1/4-20 X 3/4" | F-1005-01 | 4 |
| 3 | PULLEY COVER, LH | 0626-011P | 1 | 23 | LOCKWASHER, 1/4" | OF-1019-01 | 7 |
| 4 | ROLLER, POLYETHYLENE | OH-1948 | 6 | 24 | FLATWASHER, 1/4" STD. | OF-1009-01 | 7 |
| 5 | ROLLER SPACER BUSHING | 0609-183P | 6 | 25 | BOLT, 3/8-16 X 7/8" | OF-1558 | 12 |
| 6 | BRACKET REAR CENTER | 0609-182P | 3 | 26 | DECK CROSS BELT, A-112 | OD-3389 | 1 |
| 7 | SINGLE IDLER PARTS (PG. 19) | ----- | 1 | 27 | CLEVIS PIN, 3/8 X 2" | 01550 | 4 |
| 8 | DOUBLE IDLER PARTS (PG. 20) | ----- | 1 | 28 | BOLT, 5/16-18 X 1" | OF-1015-15 | 2 |
| 9 | 60" DECK WELDMENT | 06263-003W | 1 | 29 | BOLT, 5/16-18 X 3/4" | OF-1546 | 1 |
| 10 | BOLT, 3/8-16 X 6" | OF-1741 | 6 | 30 | DECAL, MULTI-PERIL | OP-10958 | 1 |
| 11 | OUTLET STIFFENER WLDT. | 0624-010P | 1 | 31 | DECAL, "WARNING..." | OP-10080-03 | 1 |
| 12 | CHUTE WELDMENT | 0624-012P | 1 | 32 | DECAL, "MISSING CHUTE..." | OP-10122 | 1 |
| 13 | DECAL, MULTI-PERIL | OP-10958 | 1 | 33 | DECAL, "60" | OP-11053 | 1 |
| 14 | FLATWASHER, 5/16" STD. | OF-1009-02 | 13 | 34 | DECAL, "GREASE SPINDLES..." | OP-10947 | 1 |
| 15 | NUT, 5/16-18 NYLOC | OF-1005-02 | 11 | 35 | NUT, 5/16-18 STOVER | OF-1125 | 2 |
| 16 | BOLT, 5/16-18 X 3/4" CARRIAGE | OF-1671 | 11 | 36 | BOLT, 1/4-20 X 3/4" W/PATCH | OF-1810 | 3 |
| 17 | COTTER RING 5/16-3/8 | OF-1492 | 8 | 37 | CAP, BEARING | 0609-099P | 3 |
| 18 | NUT, 3/8-16 TOPLOCK | OF-1570 | 6 | 38 | BEARING, SPD SF-16-32 N/C | OD-2008-02 | 6 |
| 19 | NUT, 3/8-16 NYLOC | OF-1239 | 11 | 39 | SWIVEL YOKE WLDT. | 0609-185W | 3 |
| 20 | FLATWASHER, 3/8" STD. | OF-1009-03 | 8 | 40 | PULLEY COVER, RH | 0626-010P | 1 |
| | | | | -- | ENGINE TO DECK BELT, BP-81 | OD-3538 | 1 |

DECK SPINDLE ASSEMBLY




| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|---------------------------|------------|-----|-----|--------------------------------------|-----------|-----|
| 1 | NUT, HEX JAM, 3/4-16 UNF | OF-1461 | 1 | 14 | SPINDLE HOUSING | 0609-223P | 1 |
| 2 | LOCKWASHER, 3/4" STD. | OF-1463 | 1 | 15 | GREASE VENT | OH-2066 | 1 |
| 3 | WASHER, 3/4" NARROW | OF-1510 | 1 | 16 | ARBOR SPACER | 0609-073P | 1 |
| 4 | PULLEY, 1 GROOVE 4" O.D. | OD-3539 | 1 | 17 | WASHER SEAL | 0609-151P | 1 |
| 5 | CAPSCREW, 3/8-24 X 1-1/2" | OF-1572 | 4 | 18 | SNAP RING, INT. 52MM BORE | OH-1893 | 1 |
| 6 | SPINDLE SPACER REINFORMT. | 0609-034P | 4 | 19 | BLADE SPACER | 0609-152P | 1 |
| 7 | PULLEY, 2-GROOVE (48") | OD-3540-02 | 1 | 20 | LOCKWASHER, 1/2" STD. | OF-1464 | 1 |
| 8 | PULLEY, 2-GROOVE (60") | 0609C-156P | 1 | 21 | BOLT, 1/2-13 X 1-1/2" | OF-1526 | 1 |
| 9 | LOCKWASHER, 3/8" H.V.Y. | OF-1019-03 | 4 | 22 | WASHER, 1/2" CUPPED | OF-1507 | 1 |
| 10 | LOCKNUT, 3/8-24 M-F | OF-1573 | 4 | 23 | BLADE, LOW LIFT, 17" | OH-1666 | 1 |
| 11 | BEARING, #6205-2RS | OD-3058 | 2 | -- | BLADE, LOW LIFT, 21" | OH-1667 | 1 |
| 12 | GREASE FITTING, 1/4-28 | OH-1056 | 1 | | NOTE: OPTIONAL BLADES ARE AVAILABLE: | | |
| 13 | SPINDLE SHAFT | 0609-162P | 1 | -- | BLADE, HIGH LIFT, 17" | OH-1714 | 1 |
| | WOODRUFF KEY, 1/4X3/4" | OD-1004-02 | 2 | | BLADE, HIGH LIFT, 21" | OH-1708 | 1 |

SINGLE IDLER ASSEMBLY



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|-------------------------------|------------|-----|-----|------------------------------|-----------|-----|
| 1 | NUT, 1/2-13 NYLOC | OF-1378 | 1 | 7 | BOLT, 3/8-24 X 1-1/4" | OF-1574 | 1 |
| 2 | PULLEY, FLAT IDLER, 1/2" BORE | OD-3338 | 1 | 8 | NUT, 3/8-24, M-F LOCKNUT | OF-1573 | 2 |
| 3 | NUT, 3/8-16 NYLOC | OF-1239 | 1 | 9 | SPRING, EXT. 3/4X4" D.A.L. | OH-1635 | 1 |
| 4 | FLATWASHER, 3/8" STD. | OF-1009-03 | 1 | 10 | PIN, HAIR SPRING, 1/8X2-1/2" | OF-1469 | 1 |
| 5 | BEARING OILITE, | OD-3357 | 1 | 11 | WASHER, BEARING CAP | 0620-201P | 1 |
| 6 | SINGLE IDLER ARM WLDT.(48") | 0609-164W | 1 | | | | |

DOUBLE IDLER ASSEMBLY



| NO. | DESCRIPTION | PART NO. | QTY | NO. | DESCRIPTION | PART NO. | QTY |
|-----|------------------------------|------------|-----|-----|-----------------------------|------------|-----|
| -- | DOUBLE IDLER ASSEMBLY | 0609-214A | 1 | 10 | PULLEY, V-IDLER, 1/2" BORE | 0D-3337 | 1 |
| 1 | DOUBLE IDLER W/BUSH | 0609-218A | 1 | 11 | FLATWASHER, 1/2" B NARROW | 0F-1521 | 1 |
| 2 | PLATE, BELT STOP | 0609-018P | 1 | 12 | FLATWASHER, 3/8" STD. | 0F-1009-03 | 1 |
| 3 | PULLEY, FLAT IDLER | 0D-3338 | 1 | 13 | WASHER, BEARING CAP | 0620-201P | 2 |
| 4 | FLATWASHER, 1/2" STD. | 0F-1009-05 | 2 | 14 | BOLT, 3/8-24 X 1-1/4" | 0F-1574 | 1 |
| 5 | BOLT, 3/8-24 X 1-1/4" | 0F-1574 | 1 | 15 | NUT, 3/8-24, N-F LOCKNUT | 0F-1573 | 2 |
| 6 | NUT, 3/8-24, M-F LOCKNUT | 0F-1573 | 2 | 16 | BOLT, 5/16-18 X 2-1/4" SHCS | 0F-1800 | 1 |
| 7 | BOLT, 1/2-13 X 2" | 0F-1293 | 2 | 17 | IDLER MOUNTING PIN | 0609-219P | 1 |
| 8 | NUT, 1/2-13, STOVER | 0F-1005-05 | 2 | 18 | BUSHING, IDLER PIN MTG. | 0609-222P | 1 |
| 9 | SPRING, EXT. 3/4 X 4" O.A.L. | 0H-1635 | 1 | 19 | WASHER | 0606-348P | 1 |
| | | | | 20 | NUT, 5/16-18 STOVER | 0F-1125 | 1 |

NOTES

YAZOO

Yazoo Manufacturing Company P.O. Box 4449 Jackson, Mississippi 39296-4449
(601) 336-6421 FAX (601) 981-5008

(10/95)
OP-11042